SAFETY DATA SHEET



MESAMOLL

00402133

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : MESAMOLL

REACH Substance Name : Sulfonic acids, C10-21-alkane, Ph esters

REACH Registration number : 01-2119485386-26-0000

1.2 Relevant identified uses of the substance or mixture and uses advised against

Suitable uses : plastics additive / rubber

1.3 Details of the supplier of the safety data sheet

Supplier : LANXESS Deutschland GmbH

Production, Technology, Safety & Environment

51369 Leverkusen, Germany, Telephone: +49 214 30 65109

E-mail: infosds@lanxess.com

1.4 Emergency telephone

number

: +49 214 30 99300 (Sicherheitszentrale CHEMPARK Leverkusen)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification : Not classified.

Classification according to Directive 67/548/EEC [DSD]

Classification : Not classified.

2.2 Label elements

Hazard pictograms : Not applicable.Signal word : No signal word.

Hazard statements: No known significant effects or critical hazards.

Additional warning phrases: Not applicable.

Precautionary statements

Prevention: Not applicable.Response: Not applicable.Storage: Not applicable.Disposal: Not applicable.

2.3 Other hazards

Substance meets the : No.

criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

Substance meets the : No.

criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Other hazards which do : None known.

not result in classification

Date of issue : 2016-06-10 Page: 1/11

SECTION 3: Composition/information on ingredients

Product definition (REACH) : UVCB

Alkyl sulphonic acid ester of phenol

			<u>Classification</u>		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Sulfonic acids, C10-21-alkane, Ph esters	REACH #: 01-2119485386-26 EC: 293-728-5 CAS: 91082-17-6	99 - 99,8	Not classified.	Not classified.	[A]
			See Section 16 for the full text of the R-phrases declared above.	See Section 16 for the full text of the H statements declared above.	

Occupational exposure limits, if available, are listed in Section 8.

Type

[A] Constituent

[B] Impurity

[C] Stabilising additive

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

: Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention if symptoms occur. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ingestion

: Wash out mouth with water. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if symptoms occur. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Date of issue : 2016-06-10 Page: 2/11

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

See Section 11 for more detailed information on health effects and symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

: In case of fire, use water spray (fog), foam, dry chemical or CO₂.

Unsuitable extinguishing

: None known.

media

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion products

: Decomposition products may include the following materials:

carbon oxides sulfur oxides

5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Avoid breathing vapour or mist. Provide adequate ventilation. Put on appropriate personal protective equipment (see Section 8). Hazard of slipping on spilt product.

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. Contaminated absorbent material may pose

Date of issue 2016-06-10 Page: 3/11

the same hazard as the spilt product.

6.4 Reference to other sections

See Section 1 for emergency contact information.
 See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

E Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.

7.2 Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations
Industrial sector specific

Not available.Not available.

solutions

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Exposure limit values : Not available.

Derived effect levels						
Ingredient name Sulfonic acids, C10-21-alkane, Ph esters	Type DNEL	Exposure Long term Inhalation	Value 6,5 mg/m³	Population Workers	Effects Systemic	Remarks -
	DNEL	Short term Inhalation	84,8 mg/m³	Workers	Systemic	-
	DNEL	Long term Dermal	0,93 mg/ kg bw/day	Workers	Systemic	-
	DNEL	Short term Dermal	52,75 mg/ kg bw/day	Workers	Systemic	-
Conclusion/Summary		: Not available.				

Predicted No Effect Concentration (PNEC)						
Ingredient name	Compartment Detail	Value	Method Detail	Remarks		
Sulfonic acids, C10-21-alkane, Ph esters	soil	27,1 mg/ kg dwt	Assessment Factors	-		
Conclusion/Summary	: Not available.					

Date of issue : 2016-06-10 Page: 4/11

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

8.2 Exposure controls

Risk management measures

Occupational exposure controls

Technical measures

: If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Personal protection measures

Respiratory protection

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: organic vapour filter (Type A) if product forms vapour/aerosol.

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. After contamination with product change the gloves immediately and dispose of them according to relevant national and local regulations Recommended: (< 1 hour) Nitrile rubber - NBR

Eye protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: Safety glasses.

Skin protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Wear protective clothing.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Environmental exposure controls

Technical measures

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Date of issue : 2016-06-10 Page: 5/11

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General information

Appearance

Physical state : Liquid. [Clear viscous liquid.]

Colour : Yellowish.
Odour : Odourless.

Important health, safety and environmental information

Boiling point : 300 to 400 °C (1013 hPa)

Flash point : Closed cup: >93,3°C (>199,9°F)

Open cup: >210°C (>410°F) [DIN 51376]

Vapour pressure : <0.0001 hPa (20°C)

<0.0001 hPa (25℃)

Density : 1,04 to 1,07 kg/L (20°C)

Solubility : 0,0022 g/l (water)

Partition coefficient: n-

octanol/water

: 5,7 to 11,3 (measured (OECD 117))

Viscosity : Dynamic: 122,9 mPa·s

Decomposition : >300°C

temperature

9.2 Other information
No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or

its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of : Under normal conditions of storage and use, hazardous reactions

hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.10.5 Incompatible materials : No specific data.

10.6 Hazardous : sulphur dioxide , phenol

decomposition productsUnder normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Potential acute health effects

Inhalation: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Eye contact: No known significant effects or critical hazards.

Acute toxicity

Product/ingredient Result Species Dose Exposure Test

name

Date of issue : 2016-06-10 Page: 6/11

Mesamoll LD50 Oral - Rat - Male >15900 mg/ - -

kg

Mesamoll LD50 - Rat >5000 mg/ - -

Dermal kg *

Conclusion/Summary : * Extrapolation according to Regulation (EC) No. 440/2008

Irritation/Corrosion

Product/ingredient Result **Species Score Exposure Test** Reversibility name Mesamoll Eyes -Rabbit 0 Redness of the conjunctivae Eyes -Rabbit 0 Oedema of the conjunctivae Eyes - Iris Rabbit 0 lesion Eves -Rabbit Cornea

Skin : Non-irritating

Eyes : Non-irritating

opacity

Sensitiser

Product/ingredient Route of Species Result Test description

name exposure

Mesamoll skin Guinea pig Not sensitizing (OECD Guideline 406);

GPMT according to MAGNUSSON-KLIGMAN

Potential chronic health effects

Chronic toxicity

Product/ingredient nameResultSpeciesDoseExposureMesamollSub-chronic
NOAEL OralRat3000 mg/kg
days per week90 days; 7
days per week

Mutagenicity

Product/ingredient nameTestExperimentResultMesamollAmes testExperiment: In vitroNegative

Subject: Bacteria Cell: Somatic Metabolic activation:

+/-

Chromosomal aberration Experiment: In vitro Negative

assay

Subject:

Mammalian-Animal Cell: Somatic Metabolic activation:

+/-

HPRT test Experiment: In vitro Negative

Subject:

Mammalian-Animal Cell: Somatic Metabolic activation:

+/-

Reproductive toxicity

Date of issue : 2016-06-10 Page: 7/11

Product/ingredient nameEffectsSpeciesDoseExposure / TestMesamoll(Reproduction:
Negative)Mammal -
speciesOral:
>100028 days OECD
222 Earthworm

unspecified mg/kg Reproduction mg/kg Test (Eisenia

dwt Soil fetida/andrei)

NOEC

Conclusion/Summary: Not considered to be toxic to the reproductive system.

Remarks : No carcinogenic effect.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Test	Result	Species	Exposure
Mesamoll	EU C.2 (Acute Toxicity for Daphnia)	Acute EC0 >100 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	OECD 209 Activated Sludge, Respiration Inhibition Test	Acute EC50 >10000 mg/l	Bacteria - adapted and activated sludge micro- organism	3 hours
	EU C.3	Acute IC0 >2 mg/l	Algae - Desmodesmus subspicatus	72 hours
	EU C.1	Acute LC0 >2 mg/l Fresh water	Fish - Danio rerio	96 hours

Conclusion/Summary: Not available.

12.2 Persistence and degradability

Product/ingredient name Rate of Period (days) Test

degradation/ elimination (%)

Mesamoll 61 % 47 days EU C.4-D (Determination of the

"Ready" Biodegradability -

Manometric Respirometry Test)

Conclusion/Summary: Not available.

12.3 Bioaccumulative potential

Bioaccumulative potential

Product/ingredient nameLogPowBCFPotentialMesamoll5.7 to56 to 212low

11.3

12.4 Mobility in soil

Soil/water partition : 4,7 to 9,3

coefficient (Koc)

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : No. vPvB : No.

12.6 Other adverse effects

Environmental effects: This product shows a low bioaccumulation potential.

Date of issue : 2016-06-10 Page: 8/11

Bioaccumulative potential

Product/ingredient name Other adverse effects AOX LogPow BCF Potential

: Not available.

: The product contains organically bound halogens and can contribute to the AOX value in waste water.

Remarks : No harmful effect in the area of water solubility.

The product does not contain heavy metals in concentrations of concern for waste water.

The product does not release nitrogen which can contribute to eutrophication.

The product does not contain phosphates or organophosphorus compounds.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal

Examine possibilities for re-utilisation. Product residues and uncleaned empty containers should be packaged, sealed, labelled, and disposed of or recycled according to relevant national and local regulations. Where large quantities are concerned, consult the supplier. When uncleaned empty containers are passed on, the recipient must be warned of any possible hazard that may be caused by residues. For disposal within the EC, the appropriate code according to the European Waste List (EWL) should be used. It is among the tasks of the polluter to assign the waste to waste codes specific to industrial sectors and processes according to the European Waste List (EWL).

Hazardous waste

 Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	-	-	-	-
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)/ Marks	-	-	-	-
Date of issue	: 2016	6-06-10]	Page: 9/11

14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No	No
14.6 Special precautions for user/Additional information	Not regulated.	Not regulated.	Not regulated.	Not regulated.

14.7 Transport in bulk according to Annex : Not available.

II of MARPOL 73/78 and the IBC Code

Hazard notes:

Not dangerous cargo.

Keep separated from foodstuffs.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Other EU regulations

Seveso III Directive

This product is not controlled under the Seveso III Directive.

15.2 Chemical Safety

Assessment

: Not applicable.

SECTION 16: Other information

Abbreviations and acronyms: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

History

Date of issue : 2016-06-10

Date of previous issue : 2016-06-10

Version : 1.14

Indicates information that has changed from previously issued version.

Notice to reader

Date of issue : 2016-06-10 Page: 10/11

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet and its Annex [if required according to Regulation (EC) 1907/2006 (REACh)] is to describe the products in terms of their safety requirements. The given details do not imply any guarantee concerning the composition, properties or performance.