According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Version	Revision Date:	SDS Number:	Date of last issue: 01.07.2020
1.8	20.01.2022	800001016017	Print Date 21.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	: Shell Omala S4 WE 150
Product code	: 001D7856

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: Gear lubricant.
Uses advised against	: This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup- plier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Univar Solutions AB Box 4072 SE-203 11 Malmö
Telephone Telefax Contact for Safety Data Sheet	: 040-352800 : 040-125172 : SDS@univar.com

1.4 Emergency telephone number

: Outside office hours: SOS Alarm: 040-6769040;112, ask ; for Poison center; Kemiakuten: 020-996000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION	(EC)	No 1272/2008)
Hazard pictograms	:	
Signal word	:	No signal word
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Version 1.8	Revision Date: 20.01.2022	SDS Number: 800001016017	Date of last issue: 01.07.2020 Print Date 21.01.2022
		Not cla ENVIF	TH HAZARDS: assified as a health hazard under CLP criteria. RONMENTAL HAZARDS: assified as environmental hazard according to
Preca	utionary statements	: Prevention:	
		No pre	ecautionary phrases.
		Response:	
		No pre	ecautionary phrases.
		Storage:	
		No pre	ecautionary phrases.
		Disposal:	
		No pre	ecautionary phrases.
Safety	y data sheet available o	n request.	
Sensi	tising components		aryl Carboxylic Acid Derivative an allergic reaction.

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful impurities. Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Blend of polyalkylene glycol and additives.

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
Phenol, isopropylated, phosphate (3:1) [Triphenyl phosphate < 5%]	Registration number 68937-41-7 273-066-3 01-2119535109-41	Repr. 2; H361 STOT RE 2; H373 Aquatic Chronic 4; H413	0,1 - 0,5
(4-nonylphenoxy)acetic acid	3115-49-9 221-486-2 01-2119982392-31	Acute Tox. 4; H302 Skin Corr. 1B; H314 Skin Sens. 1A; H317 Aquatic Acute 1;	0,01 - 0,09

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Version	Revision Date: 20.01.2022	SDS Number:	Date of last issue: 01.07.2020
1.8		800001016017	Print Date 21.01.2022
			H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid meas	sure	S
Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.
If swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
4.2 Most important symptoms a	nd e	effects, both acute and delayed
Symptoms	:	Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.
4.3 Indication of any immediate	me	dical attention and special treatment needed
Treatment	:	Notes to doctor/physician: Treat symptomatically.
SECTION 5: Firefighting mea	sur	es

5.1 Extinguishing media		
Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Vers 1.8	sion	Revision Date: 20.01.2022		DS Number: 00001016017	Date of last issue: 01.07.2020 Print Date 21.01.2022
	Unsuita media	able extinguishing	:	Do not use water	in a jet.
5.2	Special	hazards arising from	the	e substance or mi	xture
	Specifi fighting	c hazards during fire-	:	A complex mixtur gases (smoke). Carbon monoxide occurs.	ustion products may include: e of airborne solid and liquid particulates and e may be evolved if incomplete combustion nic and inorganic compounds.
5.3	Advice	for firefighters			
	Specia for firef	l protective equipment ighters	:	gloves are to be v large contact with Breathing Appara a confined space	equipment including chemical resistant worn; chemical resistant suit is indicated if spilled product is expected. Self-Contained itus must be worn when approaching a fire in . Select fire fighter's clothing approved to ds (e.g. Europe: EN469).
	Specifi ods	c extinguishing meth-	:		g measures that are appropriate to local cir- the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. 6.1.2 For emergency responders: Avoid contact with skin and eyes.	Personal precautions	:	0,1	
---	----------------------	---	-----	--

6.2 Environmental precautions

Environmental precautions	:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
		Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
-------------------------	---	--

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Version	Revision Date:	SDS Number:	Date of last issue: 01.07.2020
1.8	20.01.2022	800001016017	Print Date 21.01.2022

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Technical measures :	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling :	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.
Product Transfer :	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
7.2 Conditions for safe storage, incl	uding any incompatibilities
Further information on stor- : age stability	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.
Packaging material :	Refer to section 15 for any additional specific legislation cov- ering the packaging and storage of this product. Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice :	Polyethylene containers should not be exposed to high tem- peratures because of possible risk of distortion.
7.3 Specific end use(s)	
Specific use(s)	Not applicable

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Biological occupational exposure limits

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Version	Revision Date:	SDS Number:	Date of last issue: 01.07.2020
1.8	20.01.2022	800001016017	Print Date 21.01.2022

8.2 Exposure controls

Engineering measures

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection :	If material is handled such that it could be splashed into eyes, protective eyewear is recommended. Approved to EU Standard EN166.
Hand protection	
Remarks :	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with break-through time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Version 1.8	Revision Date: 20.01.2022	SDS Number: 800001016017	Date of last issue: 01.07.2020 Print Date 21.01.2022
		recognize that s may not be avai time maybe acc and replacemen a good predictor dependent on th Glove thickness	sh protection we recommend the same but suitable gloves offering this level of protection ilable and in this case a lower breakthrough eptable so long as appropriate maintenance at regimes are followed. Glove thickness is not r of glove resistance to a chemical as it is ne exact composition of the glove material. a should be typically greater than 0.35 mm he glove make and model.
Skin a	nd body protection	work clothes.	is not ordinarily required beyond standard
		It is good praction	ce to wear chemical resistant gloves.
Respir	atory protection	conditions of us In accordance w tions should be If engineering co tions to a level w select respirator cific conditions of Check with resp Where air-filterin priate combinati Select a filter su	vith good industrial hygiene practices, precau- taken to avoid breathing of material. ontrols do not maintain airborne concentra- which is adequate to protect worker health, ry protection equipment suitable for the spe- of use and meeting relevant legislation. biratory protective equipment suppliers. ng respirators are suitable, select an appro- tion of mask and filter. hitable for combined particulate/organic gases ype A/Type P boiling point > 65°C (149°F)]

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	Liquid at room temperature.
Colour	:	colourless
Odour	:	Slight hydrocarbon
Odour Threshold	:	Data not available
pour point	:	-42 °C Method: ISO 3016
Melting / freezing point		Data not available
Initial boiling point and boiling range	:	> 280 °Cestimated value(s)
Flammability	:	Not applicable
Upper explosion limit / upper	:	Typical 10 %(V)

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Ver 1.8	sion	Revision Date: 20.01.2022		S Number: 0001016017	Date of last issue: 01.07.2020 Print Date 21.01.2022
	flamma	ability limit			
		explosion limit / Lower ability limit	:	Typical 1 %(V)	
	Flash p	point	:	268 °C Method: ISO 259	02
	Auto-ig	nition temperature	:	> 320 °C	
		position temperature composition tempera-	:	Data not availabl	e
	рН		:	Not applicable	
	Viscos Visc	ity cosity, dynamic	:	Data not availabl	e
	Viso	cosity, kinematic	:	136 mm2/s (40,0 Method: Unspec	
				22,5 mm2/s (100 Method: Unspec	
	Solubil Wa	ity(ies) ter solubility	:	Moderate	
	Sol	ubility in other solvents	:	Data not availabl	e
	Partitio octano	n coefficient: n- l/water	:	log Pow: > 6 (based on inform	ation on similar products)
	Vapou	r pressure	:	< 0,5 Pa (20 °C) estimated value(s)
	Relativ	e density	:	1,076 (15 °C)	
	Density	y	:	1.076 kg/m3 (15 Method: ISO 121	
	Relativ	e vapour density	:	> 1 estimated value(s)
9.2	Other in	nformation			
	Explos	ives	:	Classification Co	de: Not classified
	Oxidizi	ng properties	:	Data not availabl	e
	Flamm	ability (liquids)	:	Not classified as	flammable but will burn.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Version 1.8	Revision Date: 20.01.2022	SDS Number: 800001016017	Date of last issue: 01.07.2020 Print Date 21.01.2022
Evapo	ration rate	: Data not availal	ble
Condu	ıctivity	: This material is	not expected to be a static accumulator.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Llamandaa na astiana		Departs with strength withlining seconds
Hazardous reactions	-	Reacts with strong oxidising agents.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Strong oxidising agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of :	:	Skin and eye contact are the primary routes of exposure alt-
exposure		hough exposure may occur following accidental ingestion.

Acute toxicity

Product:

Acute oral toxicity	:	LD50 (rat): > 5.000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	LD50 (Rabbit): > 5.000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

sion	Revision Date: 20.01.2022	SDS Number: 800001016017	Date of last issue: 01.07.2020 Print Date 21.01.2022
Skin	corrosion/irritation		
Produ	uct:		
Rema	arks	can clog the p acne/folliculitis	repeated skin contact without proper cleaning ores of the skin resulting in disorders such as c
Serio	us eye damage/eye	irritation	
Produ	uct:		
Rema	arks	: Slightly irritatir Based on ava	ng to the eye. ilable data, the classification criteria are not me
Resp	iratory or skin sens	tisation	
<u>Produ</u>	uct:		
Rema	arks	Not a sensitise	y and skin sensitisation: er. ilable data, the classification criteria are not me
<u>Comp</u>	oonents:		
(4-no	nylphenoxy)acetic a	icid:	
Rema	arks	: May cause an	allergic skin reaction in sensitive individuals.
Germ	cell mutagenicity		
Produ	uct:		
Geno	toxicity in vivo	: Remarks: Nor Based on ava	n mutagenic ilable data, the classification criteria are not me
Germ sessn	cell mutagenicity- As nent	- : This product c categories 1A	loes not meet the criteria for classification in /1B.
Carci	nogenicity		
<u>Produ</u>	uct:		
Rema	arks	: Not a carcinog Based on ava	gen. ilable data, the classification criteria are not me

Material	GHS/CLP Carcinogenicity Classification			
Phenol, isopropylated, phos-	No carcinogenicity classification.			

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Version	Revision Date:	SDS Number:	Date of last issue: 01.07.2020
1.8	20.01.2022	800001016017	Print Date 21.01.2022

phate (3:1) [Triphenyl phos- phate < 5%]	
(4-nonylphenoxy)acetic acid	No carcinogenicity classification.

Reproductive toxicity

Product:		
Effects on fertility	:	Remarks: Not a developmental toxicant., Based on available data, the classification criteria are not met.
		Remarks: Does not impair fertility., Based on available data, the classification criteria are not met.
Reproductive toxicity - As- sessment	:	This product does not meet the criteria for classification in categories 1A/1B.
STOT - single exposure		
Product:		
Remarks	:	Based on available data, the classification criteria are not met.
STOT - repeated exposure		
Product:		
Remarks	:	Based on available data, the classification criteria are not met.
Aspiration toxicity		
Product:		
Not an aspiration hazard., Ba	sed	on available data, the classification criteria are not met.
2 Information on other hazar	ds	
Further information		
Product:		

Product:	
Remarks	 Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal. ALL used oil should be handled with caution and skin contact avoided as far as possible.
Remarks	: Slightly irritating to respiratory system.

Version

According to EC No 1907/2006 as amended as at the date of this SDS

SDS Number:

Date of last issue: 01.07.2020

Shell Omala S4 WE 150

Revision Date:

1.8	20.01.2022		0001016017	Print Date 21.01.2022
Remarks		:	Classifications by of frameworks may e	other authorities under varying regulatory xist.
SECTION	N 12: Ecological info	rma	tion	
12.1 Toxi	city			
Prod	uct:			
Toxic	ity to fish	:	Remarks: LL/EL/IL: Practically non toxic Based on available d	
	ity to daphnia and other tic invertebrates	:	Remarks: LL/EL/IL: Practically non toxic Based on available d	
Toxic	ity to algae/aquatic plants	:	Remarks: LL/EL/IL Practically non toxic Based on available d	
Toxic icity)	ity to fish (Chronic tox-	:	Remarks: Based on a met.	available data, the classification criteria are not
	ity to daphnia and other tic invertebrates (Chron- icity)		Remarks: Based on a met.	available data, the classification criteria are not
Toxic	ity to microorganisms	:	Remarks: Based on a met.	available data, the classification criteria are not
<u>Com</u>	ponents:			
•	onylphenoxy)acetic acio ctor (Acute aquatic tox-	d: :	1	
12.2 Pers	istence and degradabil	lity		
<u>Prod</u> Biode	<u>uct:</u> egradability	:		y biodegradable. re inherently biodegradable, but contains com- rsist in the environment.
12.3 Bioa	ccumulative potential			
<u>Prod</u> Bioac	uct: ccumulation	:	Remarks: Contains c	components with the potential to bioaccumulate.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Versior 1.8	n Revision Date: 20.01.2022		S Number: 0001016017	Date of last issue: 01.07.2020 Print Date 21.01.2022		
12.4 M	obility in soil					
Pr	oduct:					
M	obility	:	: Remarks: Liquid under most environmental conditions., enters soil, it will adsorb to soil particles and will not be r bile.			
12.5 R	esults of PBT and vPvB as	sses	ssment			
Pr	oduct:					
As	ssessment	:	This mixture does not contain any REACH registered so stances that are assessed to be a PBT or a vPvB			
12.6 E	ndocrine disrupting prope	ertie	S			
	data available					
12.7 O	ther adverse effects					
Pr	oduct:					
	Additional ecological infor- : mation		tion potential or glo Product is a mixtur	ne depletion potential, photochemical ozone crea- obal warming potential. e of non-volatile components, which will not be ny significant quantities under normal conditions		
			Poorly soluble mix Causes physical for	ture. uling of aquatic organisms.		
SECT	ION 13: Disposal consid	dera	itions			

13.1 Waste treatment methods

Product	:	Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose into the environment, in drains or in water courses Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater contamination. Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be established beforehand.
		MARPOL - see International Convention for the Prevention of Pollution from Ships (MARPOL 73/78) which provides tech-

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Version 1.8	Revision Date: 20.01.2022	SDS Number:Date of last issue: 01.07.2020800001016017Print Date 21.01.2022
		nical aspects at controlling pollutions from ships.
		Disposal, transport, storage and handling should be in ac- cordance with SE regulation Avfallsförordning (2011:927).
Conta	aminated packaging	: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
		Packing: Emptying: Place the package upside down, and tilt slightly, circa 10 degrees, to enable drainage in such a way that the lowest part of the package is at the exit orifice. On some packing an extra hole must be made. Drainage should be carried out at room temperature (at least 15 °C). Wait until the package is drip dry. Do not close package after draining. Please note the risks connected with emptying package and containers with flammable liquids. Emptied package should be ventilated in a safe place away from sparks and fire. Residues may be an explosion risk. Do not puncture, cut or weld in non- cleaned package, containers or drums.
Loca	llegislation	
Wast	e catalogue	:
		EU Waste Disposal Code (EWC):
Wast	e Code	:
		13 02 06*
Rema	arks	: Disposal should be in accordance with applicable regional, national, and local laws and regulations.
		Classification of waste is always the responsibility of the end user.
		Suggestion for emptied package: 15 01 02: Plastic packaging 15 01 04 metallic packaging. Packages containing any remaining product and which have not been emptied until drip dry,must be handled as dangerous waste and must be well sealed before disposal. Suggestion for waste code: 15 01 10: Packaging containing residues of or contaminated by dangerous substances

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Version 1.8 Revision Date: 20.01.2022

SDS Number: 800001016017 Date of last issue: 01.07.2020 Print Date 21.01.2022

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG IATA	:	Not regulated as a dangerous good Not regulated as a dangerous good
14.5 Environmental hazards		
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
14.6 Special precautions for use	r	
Remarks	:	Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

14.7 Maritime transport in bulk according to IMO instruments

MARPOL Annex 1 rules apply for bulk shipments by sea.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Version	Revision Date:
1.8	20.01.2022

SDS Number: 800001016017 Date of last issue: 01.07.2020 Print Date 21.01.2022

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subject to authorisation	:	Product is not subject to Authorisa-
(Annex XIV)		tion under REACH.

Volatile organic compounds : Volatile organic compounds (VOC) content: 0 %

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), annex XIV.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), annex XVII.

Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work and its amendments.

Directive 1994/33/EC on the protection of young people at work and its amendments. Council Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding and its amendments.

The components of this product are reported in the following inventories:

REACH	:	All components listed.
-------	---	------------------------

TSCA : Notified with Restrictions.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

H302 :	Harmful if swallowed.
H314 :	Causes severe skin burns and eye damage.
H317 :	May cause an allergic skin reaction.
H361 :	Suspected of damaging fertility or the unborn child.
H373 :	May cause damage to organs through prolonged or repeated exposure.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H413 :	May cause long lasting harmful effects to aquatic life.

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Version	Revision Date:	SDS Number:	Date of last issue: 01.07.2020
1.8	20.01.2022	800001016017	Print Date 21.01.2022

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Training advice	:	Provide adequate information, instruction and training for operators.
Other information	:	A vertical bar () in the left margin indicates an amendment from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S4 WE 150

Version	Revision Date:	SDS Number:	Date of last issue: 01.07.2020
1.8	20.01.2022	800001016017	Print Date 21.01.2022

IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SE / EN